

## SAFETY DATA SHEET

Creation Date 10-Feb-2015 Revision Date 24-Dec-2021 Revision Number 3

1. Identification

Product Name Aluminum (Metallic, Powder)

Cat No.: A559-500

Synonyms No information available

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number US/CANADA: (800) 633-8253

INTERNATIONAL: +1 (801) 629-0667

## 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable solids Category 1
Substances/mixtures which, in contact with water, emit Category 2

flammable gases

Label Elements

**Signal Word** 

Danger

**Hazard Statements** 

Flammable solid

In contact with water releases flammable gas



### **Precautionary Statements**

#### Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Wear protective gloves/protective clothing/eve protection/face protection

Keep away from any possible contact with water, because of violent reaction and possible flash fire

Handle under inert gas. Protect from moisture

Skin

Brush off loose particles from skin. Immerse in cool water/wrap with wet bandages

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a dry place. Store in a closed container

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3	Composition	/Information on	Ingredients
<b>J</b> .	Composition	illi olilla tioli oli	IIIqi Culciits

Component	CAS No	Weight %
Aluminum	7429-90-5	100

### 4. First-aid measures

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes.

**Inhalation** Remove to fresh air.

**Ingestion** Do NOT induce vomiting.

Most important symptoms and

effects

No information available.

Notes to Physician Treat symptomatically

### 5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point Not applicable

Method - No information available

Autoignition Temperature 760 °C / 1400 °F

**Explosion Limits** 

#### **Aluminum (Metallic, Powder)**

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Hydrogen.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards031W

### 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required.

**Environmental Precautions** See Section 12 for additional Ecological Information.

Methods for Containment and Clean No information available.

Up

### 7. Handling and storage

**Handling** Ensure adequate ventilation.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place.

### 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Aluminum	TWA: 1 mg/m <sup>3</sup>	(Vacated) TWA: 15 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
	_	(Vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	_
		TWA: 15 mg/m <sup>3</sup>	_	
		TWA: 5 mg/m <sup>3</sup>		

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Physical StatePowder SolidAppearanceSilverOdorOdorless

Odor Threshold No information available

рΗ

Melting Point/Range 660 °C / 1220 °F

**Boiling Point/Range** 2467 °C / 4472.6 °F @ 760 mmHg

Flash Point Not applicable

Evaporation Rate No information available Flammability (solid.gas) No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availablepor Pressurenegligible

Vapor PressurenegligibleVapor DensityNo information available

Specific Gravity 2.7020

Solubility

Partition coefficient; n-octanol/water

Autoignition Temperature

Decomposition Temperature

Insoluble in water
No data available
760 °C / 1400 °F
No information available

Viscosity

No information available

Molecular Formula

Al

Molecular Formula Al Molecular Weight 26.98

### 10. Stability and reactivity

Reactive Hazard Yes

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Hydrogen

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

### 11. Toxicological information

**Acute Toxicity** 

**Component Information** 

	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Г	Aluminum Not listed		Not listed	LC50 > 0.888 mg/L (Rat) 4 h		

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

 Irritation
 No information available

 Sensitization
 No information available

#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Aluminum	7429-90-5	Not listed				

**Mutagenic Effects** No information available

No information available. **Reproductive Effects** 

No information available. **Developmental Effects** 

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

Symptoms / effects,both acute and No information available

delayed

**Endocrine Disruptor Information** No information available

The toxicological properties have not been fully investigated. Other Adverse Effects

### 12. Ecological information

#### **Ecotoxicity**

Do not empty into drains.

Persistence and Degradability No information available

**Bioaccumulation/ Accumulation** No information available.

**Mobility** No information available.

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

DOT

UN1396 **UN-No** 

ALUMINUM POWDER, UNCOATED **Proper Shipping Name** 

**Hazard Class** 4.3 **Packing Group** Ш

TDG

**UN-No** UN1396

**Proper Shipping Name** ALUMINUM POWDER, UNCOATED

**Hazard Class** 4.3 **Packing Group** 

IATA

UN1396 **UN-No** 

ALUMINUM POWDER, UNCOATED **Proper Shipping Name** 

**Hazard Class** 4.3 **Packing Group** Ш

IMDG/IMO

**UN-No** UN1396

**Proper Shipping Name** ALUMINUM POWDER, UNCOATED

**Hazard Class** 4.3

#### **Packing Group**

## 15. Regulatory information

#### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Aluminum	7429-90-5 X		ACTIVE	-

### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Aluminum	7429-90-5	Х	-	231-072-3	Χ	Χ		Х	Х	KE-00881

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

#### **SARA 313**

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Aluminum	7429-90-5	100	1.0

See section 2 for more information SARA 311/312 Hazard Categories

**CWA (Clean Water Act)** Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

**CERCLA** Not applicable

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Aluminum	X	X	X	-	X

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): Ν **DOT Marine Pollutant** Ν **DOT Severe Marine Pollutant** Ν

### U.S. Department of Homeland

Security

This product contains the following DHS chemicals:

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Restriction of

Component	DHS Chemical Facility Anti-Terrorism Standard
Aluminum	-

### Other International Regulations

Component

Mexico - Grade No information available

### Authorisation/Restrictions according to EU REACH

Component		REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Aluminum	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS No

Component	one ne	0200 1	Pollutant	Potential	Hazardous Substances (RoHS)
Aluminum	7429-90-5	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Aluminum	7429-90-5	Not applicable	Not applicable	Not applicable	Not applicable

### 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

OECD HPV

 Creation Date
 10-Feb-2015

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

**Revision Summary** This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Persistent Organic Ozone Depletion

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### **End of SDS**