



Material Safety Data Sheet

Copper, shot and light turnings

MSDS# 91832

Section 1 - Chemical Product and Company Identification

MSDS Name: Copper, shot and light turnings  
Catalog Numbers: C430-500, C575-500, S799781  
Synonyms: None.

Company Identification: Fisher Scientific  
One Reagent Lane  
Fair Lawn, NJ 07410  
For information in the US, call: 201-796-7100  
Emergency Number US: 201-796-7100  
CHEMTREC Phone Number, US: 800-424-9300

Section 2 - Composition, Information on Ingredients

-----  
CAS#: 7440-50-8  
Chemical Name: COPPER  
%: 100  
EINECS#: 231-159-6  
-----

Hazard Symbols: None listed  
Risk Phrases: None listed

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Warning! Causes respiratory tract irritation. May cause lung damage. May cause liver and kidney damage. Causes eye and skin irritation. Inhalation of fumes may cause metal-fume fever. Target Organs: Kidneys, liver, lungs.

Potential Health Effects

Eye: Causes eye irritation.  
Skin: Causes skin irritation. May cause skin discoloration.  
Ingestion: Causes gastrointestinal irritation with nausea, vomiting and diarrhea. May cause liver and kidney damage. Dust is irritating to the respiratory tract. Inhalation of fumes may cause metal fume fever, which is characterized  
Inhalation: by flu-like symptoms with metallic taste, fever, chills, cough, weakness, chest pain, muscle pain and increased white blood cell count.  
Chronic: Prolonged or repeated skin contact may cause dermatitis. May cause liver and kidney damage. May cause lung damage.

Section 4 - First Aid Measures

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.  
Skin: Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists.  
Ingestion: Call a poison control center. If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical aid.  
Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.  
Notes to Physician: Individuals with Wilson's disease are more susceptible to chronic copper poisoning.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Material can spontaneously ignite (pyrophoric) when exposed to air at normal or slightly elevated temperatures.

Extinguishing Media: Use extinguishing media most appropriate for the surrounding fire.

Autoignition Temperature: Not applicable.

Flash Point: Not applicable.

Explosion Limits: Lower: Not available

Explosion Limits: Upper: Not available

NFPA Rating: health: 2; flammability: 1; instability: 0;

#### Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Sweep up, then place into a suitable container for disposal. Avoid generating dusty conditions.

#### Section 7 - Handling and Storage

Handling: Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with skin and eyes. Avoid ingestion and inhalation.

Storage: Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Do not expose to air.

#### Section 8 - Exposure Controls, Personal Protection

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
COPPER	0.2 mg/m <sup>3</sup> (fume); 1 mg/m <sup>3</sup> (dust and mist, as Cu)	1 mg/m <sup>3</sup> TWA (dust and mist) 100 mg/m <sup>3</sup> IDLH (dust, fume and mist)	0.1 mg/m <sup>3</sup> TWA (fume); 1 mg/m <sup>3</sup> TWA (dust and mist)

OSHA Vacated PELs: COPPER: 0.1 mg/m<sup>3</sup> TWA (dust, fume, mists, as Cu)

Engineering Controls:

Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Exposure Limits

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to minimize contact with skin.

Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

#### Section 9 - Physical and Chemical Properties

Physical State: Solid

Color: red to brown

Odor: none reported

pH: Not available

Vapor Pressure: 1 mm Hg @1628C

Vapor Density: Not available

Evaporation Rate: Not applicable.

Viscosity: Not applicable.

Boiling Point: 2595 deg C ( 4,703.00°F)

Freezing/Melting Point: 1083 deg C ( 1,981.40°F)

Decomposition Temperature: Not available

Solubility in water: Insoluble in water.

Specific Gravity/Density: 8.92

Molecular Formula: Cu

Molecular Weight: 63.54

#### Section 10 - Stability and Reactivity

Chemical Stability:	Stable.
Conditions to Avoid:	Dust generation, moisture, exposure to air.
Incompatibilities with Other Materials	None reported.
Hazardous Decomposition Products	Copper fumes.
Hazardous Polymerization	Has not been reported.

#### Section 11 - Toxicological Information

RTECS#:	CAS# 7440-50-8: GL5325000 GL7440000 GL7590000
LD50/LC50:	RTECS: Not available.
Carcinogenicity:	COPPER - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.
Other:	See actual entry in RTECS for complete information.

#### Section 12 - Ecological Information

Not available

#### Section 13 - Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations.

#### Section 14 - Transport Information

##### US DOT

Shipping Name: Not regulated as a hazardous material

Hazard Class:

UN Number:

Packing Group:

Canada TDG

Shipping Name: Not available

Hazard Class:

UN Number:

Packing Group:

USA RQ: CAS# 7440-50-8: 5000 lb final RQ (no reporting of releases of this hazardous substa

#### Section 15 - Regulatory Information

##### European/International Regulations

##### European Labeling in Accordance with EC Directives

Hazard Symbols: Not available

Risk Phrases:

Safety Phrases:

##### WGK (Water Danger/Protection)

CAS# 7440-50-8: 0

##### Canada

CAS# 7440-50-8 is listed on Canada's DSL List

Canadian WHMIS Classifications: D2B, B4

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

CAS# 7440-50-8 is listed on Canada's Ingredient Disclosure List

US Federal

TSCA

CAS# 7440-50-8 is listed on the TSCA  
Inventory.

**REVIEWED**

Section 16 - Other Information

MSDS Creation Date: 5/02/2001

Revision #5 Date 7/20/2009

DATE: July 23/2012  
*CRutterford*

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.

-----