



Material Safety Data Sheet  
Copper (II) Sulfate Anhydrous

MSDS# 05670

### Section 1 - Chemical Product and Company Identification

MSDS Name: Copper (II) Sulfate Anhydrous  
Catalog Numbers: AC197710000, AC197711000, AC197715000, AC422870000, AC422870050, AC422871000  
AC422871000, AC422875000, C495-500  
Synonyms: Copper monosulfate; Cupric sulfate; Cupric sulfate anhydrous; Sulfuric acid, copper(2+) salt (1:1).



Company Identification: Fisher Scientific  
One Reagent Lane  
Fair Lawn, NJ 07410  
For information in the US, call: 201-796-7100  
Emergency Number US: 201-796-7100  
CHEMTREC Phone Number, US: 800-424-9300

### Section 2 - Composition, Information on Ingredients

CAS#: 7758-98-7  
Chemical Name: Copper(II) sulfate  
%: >97  
EINECS#: 231-847-6

Hazard Symbols:

XN N



Risk Phrases:

22 36/38 50/53

### Section 3 - Hazards Identification

#### EMERGENCY OVERVIEW

Warning! Hygroscopic (absorbs moisture from the air). Harmful if swallowed. Causes eye and skin irritation and possible burns. Causes digestive and respiratory tract irritation with possible burns. Severe marine pollutant. Target Organs: Blood, kidneys, liver.

#### Potential Health Effects

**Eye:** Exposure to particulates or solution may cause conjunctivitis, ulceration, and corneal abnormalities. Causes eye irritation and possible burns.

**Skin:** Causes skin irritation and possible burns.

**Ingestion:** Harmful if swallowed. May cause severe gastrointestinal tract irritation with nausea, vomiting and possible burns. Ingestion of large amounts of copper salts may cause bloody stools and vomit, low blood pressure, jaundice and coma. Ingestion of copper compounds may produce systemic toxic effects to the kidney and liver and central nervous excitation followed by depression.

**Inhalation:** May cause ulceration and perforation of the nasal septum if inhaled in excessive quantities. Causes respiratory tract irritation with possible burns.

**Chronic:** May cause liver and kidney damage. May cause anemia and other blood cell abnormalities. Individuals with Wilson's disease are unable to metabolize copper. Thus, copper accumulates in various tissues and may result in liver, kidney, and brain damage. Adverse reproductive effects have been reported in animals. Laboratory experiments have resulted in mutagenic effects. Chronic copper poisoning in man is recognized in the form of Wilson's disease.

### Section 4 - First Aid Measures

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Ingestion: Do not induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately.

Inhalation: Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical device such as a bag and a mask.

Notes to Physician: Individuals with Wilson's disease are more susceptible to chronic copper poisoning.

Antidote: The use of d-Penicillamine as a chelating agent should be determined by qualified medical personnel.

#### Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Substance is noncombustible.

Extinguishing Media: Use extinguishing media most appropriate for the surrounding fire.

Autoignition Temperature: Not applicable.

Flash Point: Not applicable.

Explosion Limits: Lower: Not available

Explosion Limits: Upper: Not available

NFPA Rating: health: 2; flammability: 0; instability: 1;

#### Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Provide ventilation. U.S. regulations require reporting spills and releases to soil, water and air in excess of reportable quantities.

#### Section 7 - Handling and Storage

Handling: Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid breathing dust.

Storage: Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Store protected from moisture.

#### Section 8 - Exposure Controls, Personal Protection

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Copper(II) sulfate	none listed	1 mg/m3 TWA (dust and mist, as Cu, except copper fume) (listed under Copper compounds, n.o.s.).100 mg/m3 IDLH (dust and mist, as Cu) (listed under Copper compounds, n.o.s.).	none listed

OSHA Vacated PELs: Copper(II) sulfate: None listed

Engineering Controls:

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

Exposure Limits

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

Section 9 - Physical and Chemical Properties

Physical State: Powder

Color: light gray

Odor: Odorless

pH: Not available

Vapor Pressure: Not available

Vapor Density: Not applicable.

Evaporation Rate: Negligible.

Viscosity: Not available

Boiling Point: Not available

Freezing/Melting Point: 200 deg C ( 392.00°F)

Decomposition Temperature:

Solubility in water: Soluble

Specific Gravity/Density: 3.6

Molecular Formula: CuO4S

Molecular Weight: 159.61

Section 10 - Stability and Reactivity

Chemical Stability:	Stable at room temperature in closed containers under normal storage and handling conditions.
Conditions to Avoid:	High temperatures, dust generation, exposure to moist air or water.
Incompatibilities with Other Materials	Aqueous solution of copper(2+) sulfate is an acid. Incompatible with strong bases, hydroxylamine, magnesium..
Hazardous Decomposition Products	Oxides of sulfur, copper fumes.
Hazardous Polymerization	Will not occur.

Section 11 - Toxicological Information

RTECS#: CAS# 7758-98-7: GL8800000

RTECS:

**CAS# 7758-98-7:** Oral, mouse: LD50 = 369 mg/kg;

LD50/LC50: Oral, mouse: LD50 = 87 mg/kg;

Oral, rat: LD50 = 300 mg/kg;

Oral, rat: LD50 = 960 mg/kg;

Carcinogenicity: Copper(II) sulfate - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.

Other: See actual entry in RTECS for complete information.

Section 12 - Ecological Information

Fish: Rainbow trout: LC50 = 0.1-2.5 mg/L; 96 Hr; Unspecified

Fish: Bluegill/Sunfish: LC50 = 0.6 mg/L; 48 Hr; 15 mg/L CaCO3

Ecotoxicity: Fish: Bluegill/Sunfish: LC50 = 8.0 mg/L; 48 Hr; 68 mg/L CaCO3  
Fish: Bluegill/Sunfish: LC50 = 10.0 mg/L; 48 Hr; 100 mg/L CaCO3  
Fish: Bluegill/Sunfish: LC50 = 45.0 mg/L; 48 Hr; 132 mg/L CaCO3

Section 13 - Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations.

Section 14 - Transport Information

US DOT

Shipping Name: TOXIC SOLID, INORGANIC, N.O.S.

Hazard Class: 6.1

UN Number: UN3288

Packing Group: III

Canada TDG

Shipping Name: ENVIRONMENTALLY HAZARDOUS

Hazard Class: 9

UN Number: UN3077

Packing Group: III

USA RQ: CAS# 7758-98-7: 10 lb final RQ; 4.54 kg final RQ

Section 15 - Regulatory Information

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: XN N

Risk Phrases:

R 22 Harmful if swallowed.

R 36/38 Irritating to eyes and skin.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety Phrases:

S 22 Do not breathe dust.

S 60 This material and its container must be disposed of as hazardous waste.

S 61 Avoid release to the environment. Refer to special instructions/safety data sheets.

WGK (Water Danger/Protection)

CAS# 7758-98-7: 2

Canada

CAS# 7758-98-7 is listed on Canada's DSL List

Canadian WHMIS Classifications: D1B, D2B

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

CAS# 7758-98-7 is listed on Canada's Ingredient Disclosure List

US Federal

TSCA

CAS# 7758-98-7 is listed on the TSCA

Inventory.

Section 16 - Other Information

MSDS Creation Date: 7/09/1999

Revision #7 Date 7/20/2009

**REVIEWED**

DATE: Nov 14/2012

Sung Nguyen

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make

their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.

-----