



SDS #: 605

Revision Date: May 16, 2014

## Phthalic Anhydride Safety Data Sheet (SDS)

### SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

#### Phthalic Anhydride

**Signal Word**  
**DANGER**

Flinn Scientific, Inc. P.O. Box 219, Batavia, IL 60510 (800) 452-1261  
Chemtrec Emergency Phone Number: (800) 424-10125

Pictograms

### SECTION 2 — HAZARDS IDENTIFICATION

Hazard class: Acute toxicity, oral and inhalation (Category 5). May be harmful if swallowed or inhaled (H303+H333).



Hazard class: Skin corrosion or irritation (Category 2). Causes skin irritation (H315).



Hazard class: Sensitization, skin and respiratory tract (Category 1). May cause an allergic skin reaction, allergy or asthma symptoms or breathing difficulties if inhaled (H317+H334). Avoid breathing dust or fumes (P261).



Hazard class: Serious eye damage or irritation (Category 1). Causes serious eye damage (H318).

Hazard class: Specific target organ toxicity, single exposure; respiratory tract irritation (Category 3). May cause respiratory irritation (H335).

### SECTION 3 — COMPOSITION, INFORMATION ON INGREDIENTS

Component Name	CAS Number	Formula	Formula Weight	Concentration
Phthalic Anhydride	85-44-9	C <sub>8</sub> H <sub>4</sub> O <sub>3</sub>	148.11	
Synonyms: PAN; 1,2-Benzene dicarboxylic acid anhydride; 1,2-Benzenedicarboxylic anhydride; Phthalic acid anhydride				

### SECTION 4 — FIRST AID MEASURES

Immediately call a POISON CENTER or physician (P310). **If inhaled:** Remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P340). **If experiencing respiratory symptoms:** Call a POISON CENTER or physician (P342+P311). **If in eyes:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing (P305+P351+P338). **If on skin:** Wash with plenty of water (P302+P352). **If skin irritation occurs:** Get medical advice or attention (P332+P313). Wash contaminated clothing before reuse (P363). **If swallowed:** Rinse mouth. Call a POISON CENTER or physician if you feel unwell.

### SECTION 5 — FIRE FIGHTING MEASURES

Class IIIB combustible solid.	<b>NFPA Code</b>
Flash point: 152 °C Flammable limits: Lower: 1.7% Upper: 10.5% Autoignition Temperature: 570 °C	H-2
When heated to decomposition, may emit toxic fumes.	F-1
In case of fire: Use a tri-class dry chemical fire extinguisher.	R-0

---

### SECTION 6 — ACCIDENTAL RELEASE MEASURES

---

Ventilate area. Wipe up, place in sealed bag or container and dispose. Wash spill site after material pickup is complete. See Sections 8 and 13 for further information.

---

### SECTION 7 — HANDLING AND STORAGE

---

Flinn Suggested Chemical Storage Pattern: Organic #1. Store with acids, anhydrides and peracids. Keep container tightly closed (P233). Use only in a hood or well-ventilated area (P271).

---

### SECTION 8 — EXPOSURE CONTROLS, PERSONAL PROTECTION

---

Wear protective gloves, protective clothing, and eye protection (P280). Wash hands thoroughly after handling (P264). Use only in a hood or well-ventilated area (P271). In case of inadequate ventilation, wear respiratory protection (P285).

Exposure guidelines: PEL 2 ppm (OSHA); TLV 1 ppm (ACGIH) Sensitizer; IDLH 60 mg/m<sup>3</sup>

---

### SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

---

White crystalline needles. Odorless.	Boiling point: 295 °C
Soluble: Alcohol, hot water and carbon disulfide.	Melting point: 130.8 °C
	Specific gravity: 1.53

---

### SECTION 10 — STABILITY AND REACTIVITY

---

Avoid contact with strong acids, strong bases, oxidizing agents and reducing agents.

Reacts vigorously with nitric acid and nitrating mixtures to produce potentially explosive products.

Shelf life: Poor, moisture sensitive. See Section 7 for further information.

---

### SECTION 11 — TOXICOLOGICAL INFORMATION

---

Acute effects: Eye, skin, and upper respiratory tract irritation; conjunctivitis; bronchitis, bronchial asthma; dermatitis. Sensitizer.	ORL-RAT LD <sub>50</sub> : 1530 mg/kg
	IHL-RAT LC <sub>50</sub> : greater than 210 mg/m <sup>3</sup>
	SKN-RBT LD <sub>50</sub> : greater than 10,000 mg/kg
Chronic effects: Asthma	
Target organs: Eyes, skin, and respiratory tract.	

---

### SECTION 12 — ECOLOGICAL INFORMATION

---

Data not yet available.

---

### SECTION 13 — DISPOSAL CONSIDERATIONS

---

Please review all federal, state and local regulations that may apply before proceeding.

Flinn Suggested Disposal Method #24a is one option.

---

### SECTION 14 — TRANSPORT INFORMATION

---

Shipping name: Not regulated. Hazard class: N/A. UN number: N/A.

---

### SECTION 15 — REGULATORY INFORMATION

---

TSCA-listed, EINECS-listed (201-607-5), RCRA code U190.

---

### SECTION 16 — OTHER INFORMATION

---

This Safety Data Sheet (SDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific, Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or

insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).

N.A. = Not available, not all health aspects of this substance have been fully investigated.

N/A = Not applicable

**Consult your copy of the Flinn Science Catalog/Reference Manual for additional information about laboratory chemicals.**

**Revision Date:** May 16, 2014

---